How to Restart SedonaSync v10.0

Last Modified on 09/16/2024 5:35 pm EDT

When a customer's SedonaSync application stopped running. Someone will need to restart the services. This happens when the SQL server is re-started.

How to restart SedonaSync steps.

- 1. Open Services module
- 2. GO to SedonaSync Service and right click
- 3. After you right-click and see the options available choose RESTART, this will start your SedonaSync

Services								_	×
File Action View	Help								
(+ +) 🗊 🖸	R 🕞 🛛 📷 🕨 🖩 💷 🕨								
🔍 Services (Local)	Services (Local)								
	SedonaSync Service	Name		Description	Status	Startup Type	Log On As		^
2	Stop the service Pause the service Restart the service	Secure Socket Tunne Security Accounts M SedonaEFTService SedonaService SedonaSync Service Sensor Data Serv Sensor Service Sensor Service Sensor Service Smart Card Smart Card Devi Smart Card Devi Smart Card Devi Smart Card Rem SNMP Trap Software Protect Special Administ Spot Verifier	Start Stop Pause Resume Restart All Tasks Refresh Propert Help Daemon	Provides su The startup Running Provides su Running Running Running Running Running tites .	Running Running Running Running Running	Manual Automatic Automatic Automatic (Delayed Start) Manual (Trigger Start) Manual (Trigger Start) Automatic Automatic Disabled Manual (Trigger Start) Manual Manual Automatic (Delayed Start, Trigg Manual Manual (Trigger Start) Manual Manual (Trigger Start)	Local Service Local Syste Local Syste		
		SQL Server (MSSQLSERVER) Provides sto SQL Server Agent (MSSQLS Executes jo SQL Server Browser Provides SQ SQL Server CEIP service (MS CEIP service			Running	Automatic Disabled Disabled Automatic	NT Service Network S Local Service NT Service		~
	Extended Standard								
Stop and Start service S	SedonaSync Service on Local Computer			0					